

# How to run LMDZ

LMDZ Training course December 16-17-18 2014

The LMDZ Team

# How to install the LMDZ GCM : Get the sources and compile

## Choosing which version of LMDZ to work with

Choose between the different available versions on the LMDZ web site:

<http://lmdz.lmd.jussieu.fr/utilisateurs/distribution-du-modele> (in French)

<http://lmdz.lmd.jussieu.fr/utilisateurs/distribution-du-modele-en> (in English)

**NB:** use the  flag to switch from a French to an English page.

Ask the LMDZ team for more information on which versions are actually used :

[lmdz-svp@lmd.jussieu.fr](mailto:lmdz-svp@lmd.jussieu.fr)

# Choosing which LMDZ version to work with

## 1 – *production or reference versions* :

### - LMDZ4\_AR5

`svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ4/branches/LMDZ4_AR5`

- the most tested/validated version
- production version used for CMIP5
- runs with **old physics** package (*ancienne physique*)

### - LMDZ5\_AR5

`svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ4/branches/LMDZ5_AR5`

- **new physics** version used for CMIP5

## 2 – *testing version* :

`svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ5/branches/testing LMDZ5`

- less tested than reference version but more tested than development version
- runs with **old** or **new physics** packages (*ancienne* et *nouvelle physique*)

## 3 - *development version* :

`svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ5/trunk`

- Beware! This is often updated and may not be thoroughly tested !
- Some revisions are more tested than others; these development versions eventually become **testing** versions.

# How to install LMDZ : getting the source codes & compiling

There are different ways to install LMDZ ; your choice depends on the machine you will be using and the type of simulation (long, test or development) you will run.

## 1) Installing LMDZ *by hand*

- get each source code one by one (IOIPSL, ORCHIDEE, LMDZ) and link them with the netcdf library installed on your machine.

## 2) Installing LMDZ using the `install.sh` script

- see afternoon tutorial
- the script will download the source codes needed and will compile them
- this method is recommended for Linux PC and used for developments and tests.

## 3) Installing LMDZ using `modipsl` and `libIGCM`

- you will need to install one of the configuration defined by `modipsl` (for example `LMDZOR_v5`)  
⇒ follow the IPSL Training course.
- this is recommended for IDRIS and CCRT/TGCC and for long simulations as it provides tested reference versions and scripts for launching and monitor long simulations.

## 1) Installing LMDZ by hand

More information on the LMDZ site :

<http://lmdz.lmd.jussieu.fr/utilisateurs/guides/lmdz-pas-a-pas> (in French)

To do once and for all :

Install netcdf

Install IOIPSL

```
svn co http://forge.ipsl.jussieu.fr/igcmg/svn/modipsl/trunk modipsl
cd modipsl/util
./model IOIPSL
Modify AA_make.gdef
./ins_make [-t g95 ou -t egi]
cd ../modeles/IOIPSL/src
gmake
```

Get LMDZ

```
svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ4/branches/LMDZ4_AR5 LMDZ4
```

Compile LMDZ

Fill in the paths for netcdf, IOIPSL et ORCHIDEE libraries in the arch-XXX.path used by **makelmdz\_fcm** or **makelmdz** scripts.

```
./makelmdz_fcm -d <grid_resolution> -arch <XXX> gcm
./makelmdz -d <grid_resolution> -arch <XXX> gcm
```

## 2) Installing LMDZ using the install.sh script (preliminary remarks)

Further details here : <http://lmdz.lmd.jussieu.fr/utilisateurs/script-install.sh-en> (in English)

- The install.sh script **compiles the model and the associated libraries** using any of the **g95**, **gfortran** , **ifort** or **pgf90** compilers and standard shell commands and utilities (gcc, wget, gunzip, tar, ...).
- This script will download the « testing » branch of LMDZ. The main modifications between different versions and the link between the proposed versions and the SVN revision numbers are summarized in the LISMOI (README) file.
- To modify some of the installation options, for example the directory where the model will be put or to inhibit the compilation of IOIPSL and/or NETCDF libraries you will have to modify variables defined in the install.sh script.
- Any of the **makelmdz\_fcm** or **makelmdz** scripts can be used to compile the model and may be used afterwards to recompile the model.
  - If **compile\_with\_fcm=1**, makelmdz\_fcm will be used to compile the model.
  - If **compile\_with\_fcm=0**, makelmdz will be used.

## 2) Installing LMDZ using the install.sh script (how to download and launch it)

```
> wget http://www.lmd.jussieu.fr/~lmdz/Distrib/install.sh
> chmod +x install.sh
    (eventually modify some variables in the script)
> ./install.sh
```

### The variables to modify :

<code>version</code>	see LISMOI file (to eventually know the available versions)
<code>MODEL</code>	PATH to install the model
<code>veget=1</code>	to compile with a « frozen » ORCHIDEE version
<code>netcdf=1</code>	to install netcdf library
<code>bench=1</code>	to launch a test run at the end of compiling stage
<code>compilo</code>	compiler to use : g95 / ifort / pgf90 / gfortran
<code>compile_with_fcm</code>	=1 use of <code>make_lmdz_fcm</code> (available since revision 1578) =0 use of <code>make_lmdz</code>
<code>grid_resolution</code>	possible choices for the included bench : 32x24x11, 48x36x19, 96x71x19



### 3) Installing LMDZ using modipsl and libIGCM

- Recommended for IDRIS and CCRT/TGCC for long runs. See :  
<https://forge.ipsl.jussieu.fr/igcmg/wiki/platform/documentation> (French)  
<https://forge.ipsl.jussieu.fr/igcmg/wiki/platform/en/documentation> (English)

#### Main configurations defined in modipsl :

- [LMDZOR\\_v5.2](#) : LMDZ coupled with ORCHIDEE (**MPI-OMP**)
- [LMDZOR\\_v5](#) : LMDZ coupled with ORCHIDEE
- [LMDZINCA](#) : LMDZ coupled with INCA
- CMIP5 ocean-atmosphere : [IPSLCM5A](#), [IPSLCM5B](#), [IPSLCM5\\_v5](#)

#### Main points :

- Download modipsl
- Choose a given configuration (containing the different models)
- Compile all models using one main Makefile
- Launch the run (simulation and post-treatment) using libIGCM
- **modipsl and libIGCM courses - highly recommended ! also for false beginners -** are given at “Maison de la simulation” by the IPSL Plate-forme group.

► Next courses : **Spring 2015**

<https://forge.ipsl.jussieu.fr/igcmg/wiki/platform/en/training>

# What you need to run the LMDZ model

- Executable (LMDZ) file :  
gcm.e
- Parameters files :  
run.def, gcm.def, physiq.def, config.def, traceur.def
- Start files ❖ :  
start.nc, startphy.nc  
These files are created by the ce0l.e program or may be the result of previous runs
- Boundary conditions file ❖ :  
limit.nc  
Created by ce0l.e
- Some optional input files ❖ (depending on the simulation) :
  - aerosols.nc, climoz\_LMDZ.nc, nudging input files (u.nc, v.nc,..)

❖ : these files have to be interpolated on the horizontal grid of the model

## How to run the model

```
> ls  
start.nc startphy.nc limit.nc config.def gcm.def orchidee.def  
physiq.def run.def traceur.def gcm.e
```

```
> ./gcm.e
```

or

```
> ./gcm.e > out_lmdz.x 2>&1
```

To carry on a simulation that has been run, you have to copy the restart files obtained at the end of the previous run as new initial start files:

```
> mv restart.nc start.nc  
> mv restartphy.nc startphy.nc  
  
> ./gcm.e
```

# Has your run completed successfully ? (1)

## YES

- ▶ you will then have a message saying *Everything is cool* on the standard output or in the output text file.
- ▶ The code will have created 2 restart files  
`restart.nc` and `restartphy.nc`  
needed to carry on your run
- ▶ and some output diagnostic files  
`histday.nc`, `hismth.nc`, etc. ...  
to explore/view using ferret, grads, ...

## Has your run completed successfully ? (2)

**NO**

You must find out what the problem is...

Look for an error message in the output text file.

Search for one of the following key words/phrase: **Houston, we have a problem**, **STOP**, **hgardfou**, **integrd: negative surface pressure**, etc.

### Different typical errors :

- technical problem : a missing input file, an error in one of the \*.def file
- **problem with the model's stability.**

Instability in the physics are likely to be detected by **hgardfou**, which checks the model temperature has realistic values.

Instability in the dynamics most often end up the run with a **negative surface pressure** error message.

**> In any of these cases you will most probably have to adjust some flags in the .def files.  
See the talk tomorrow.**

- you have some source code modifications that might not have been thoroughly tested or validated.

# Some basic svn commands

## Basic svn commands (1)

To get last revision of a directory with its sub-directories :

```
> svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ5/trunk LMDZ5
```

or

```
> svn co http://svn.lmd.jussieu.fr/LMDZ/LMDZ4/branches/LMDZ4_AR5 LMDZ4
```

To get a particular revision, for example :

```
> svn co -r 1575 http://svn.lmd.jussieu.fr/LMDZ/LMDZ5/trunk LMDZ5
```

## Basic svn commands (2)

> **svn info**: to know what revision and branches you've downloaded

```
[jghattas@woodyard trunk]$ svn info
Chemin : .
URL : http://svn.lmd.jussieu.fr/LMDZ/LMDZ5/trunk
Racine du dépôt : http://svn.lmd.jussieu.fr/LMDZ
UUID du dépôt : e51f81be-29bc-408f-98e3-ee85b5628ff9
Révision : 1572
Type de nœud : répertoire
Tâche programmée : normale
Auteur de la dernière modification : lguez
Révision de la dernière modification : 1572
Date de la dernière modification: 2011-09-13 10:58:59 +0200 (mar. 13 sept. 2011)
```



## Basic svn commands (3)

> **svn stat**: to know which files have been modified with respect to the extracted version

```
[jghattas@woodyard libf]$ svn stat
?      grid/dimensions.h
?      grid/dimension/dimensions.32.24.11
M      phylmd/concvtl.F
M      phylmd/phys_output_mod.F90
```

> **svn -u stat**: to see modifications with respect to last version on svn server

```
[jghattas@woodyard libf]$ svn -u stat
*      1572    phylmd/mod_phys_lmdz_omp_data.F90
*      1572    phylmd/fisrtilp_tr.F
M      *      1572    phylmd/phys_output_mod.F90
*      1572    phylmd/mod_phys_lmdz_mpi_data.F90
*      1572    phylmd/soil.F90
M      *      1572    phylmd/concvtl.F
*      1572    phylmd/conf_phys.F90
*      1572    phylmd/sw_aeroAR4.F90
?      grid/dimensions.h
?      grid/dimension/dimensions.32.24.11
État par rapport à la révision 1576
```

## Basic svn commands (4)

> **svn diff** : to check the differences between different versions

```
[jgips1@dhcp-236 phylmd]$ svn diff phys_output_mod.F90
Index: phys_output_mod.F90
```

```
=====
--- phys_output_mod.F90 (révision 1572)
+++ phys_output_mod.F90 (copie de travail)
@@ -1695,10 +1695,11 @@
     IF (nqtot>=3) THEN
         DO iq=3,nqtot
             iiq=niadv(iq)
+            print*,'iq = ',iq
             o_trac(iq-2) = ctrl_out((/ 4, 5, 1, 1, 1, 10 /))
-
-            ENDDO
+            END
         ENENDIF
```

> **svn diff -r x1**: differences between revision x1 and the working version

> **svn diff -r x1:x2** : differences between x1 and x2 revisions.  
Use HEAD to point to the last revision

## Basic svn commands (5)

> `svn update`: to update your version with respect to the last revision of the branch you initially downloaded from.

> `svn update -r x1`: to update your version with respect to revision x1 of the branch you initially downloaded from.

*Note that this “update” can be towards an older revision.*