





LMDZ training course, 2018, decembre

Low clouds simulated with LMDZ with a global 50km resolution grid  
January



Low clouds simulated with LMDZ with  
a global 50km resolution grid  
January



LMDZ training course, 2018, decembre


## **Introduction**

Frédéric Hourdin

### **LMDZ : a general circulation model**

- 1. General Circulation Models**
- 2. LMDZ**
- 3. Splitting/coupling and modularity**

# 1. General Circulation Models



**Dynamical core : primitive equations discretized on the sphere**

- Mass conservation  
 $D\rho/Dt + \rho \operatorname{div}\underline{U} = 0$
- Potential temperature conservation  
 $D\theta / Dt = 0$
- Momentum conservation  
 $D\underline{U}/Dt + (1/\rho) \operatorname{grad}p - g + 2 \underline{\Omega} \wedge \underline{U} = 0$
- Secondary components conservation  
 $Dq/Dt = 0$

## Primitive equations of meteorology


- Thin layer approximation
- Hydrostatic approximation (**valid down to 10-20 km**)

## From physics to numerics :


- Grid point or spectral models
- Explicit resolution down to 20-300 km depending of the configuration
- Numerical conservation of important quantities (mass, water, enstrophy ...).

# 1. General Circulation Models


Dynamical core : primitive equations discretized on the sphere



- Mass conservation  
 $D\rho/Dt + \rho \operatorname{div}\underline{U} = 0$
- Potential temperature conservation  
 $D\theta / Dt = Q / C_p (p_0/p)^\kappa$
- Momentum conservation  
 $D\underline{U}/Dt + (1/\rho) \operatorname{grad}p - g + 2 \underline{\Omega} \wedge \underline{U} = \underline{E}$
- Secondary components conservation  
 $Dq/Dt = Sq$



# 1. General Circulation Models



## Dynamical core : primitive equations discretized on the sphere

- Mass conservation  
 $D\rho/Dt + \rho \operatorname{div}\underline{U} = 0$
- Potential temperature conservation  
 $D\theta / Dt = Q / Cp (p_0/p)^\kappa$
- Momentum conservation  
 $D\underline{U}/Dt + (1/\rho) \operatorname{grad}p - g + 2 \underline{\Omega} \wedge \underline{U} = \underline{E}$
- Secondary components conservation  
 $Dq/Dt = Sq$

**Parameterizations purpose** : account for the effect of processes non resolved by the dynamical core

→ **Traditional « source » terms in the equations**

- **$Q$**  : Heating by radiative exchanges, thermal conduction (neglected), condensation, sublimation, **subgrid-scale motions (turbulence, clouds, convection)**
- **$E$**  : Molecular viscosity (neglected), **subgrid-scale motions (turbulence, clouds, convection)**
- **$Sq$**  : condensation/sublimation ( $q$ = water vapor or condensed), chemical reactions, photo-dissociation (ozone, chemical species), micro physics and scavenging (pollution aerosols, dust, ...), **subgrid-scale motions (turbulence, clouds, convection)**

# 1. General Circulation Models

## Parameterizations : principles



- Compute the **average effect of unresolved processes on the global model state variables** ( $\underline{U}, \theta, q$ )



- **Based on a description of the approximate collective behavior** of processes

- Involve additional **parameterization internal variables** (cloud characteristics, standard deviation of the sub-grid scale distribution of a variable, ...)





- Derive **equations** relating internal variables to the state variables  
 $\underline{U}, \theta, q$  at time  $t \rightarrow$  **internal variables**  $\rightarrow \underline{E}, Q, Sq \rightarrow \underline{U}, \theta, q$  at  $t+\delta t$




- **Homogeneity hypothesis** (statistical) on the horizontal of the targeted processes (like in the plane-parallel approximation of radiative transfer)  
 $\rightarrow$  **1-dimensional equations in  $z$**  (vertical exchanges only)  
 $\rightarrow$  Independent atmospheric column

Inside an « atmospheric column » ...



# 1. General Circulation Models



## **Dynamical core :**

Well established equations. Work on approximations, numerics, HPC

## **Parameterizations :**

Based on combinations of theories, heuristic approaches, and conservation laws.

Many ways possible. Strong diversity across models


## **General comments :**

- Modeling concerns all the layers. Lot of expertises required and shared.
- Be aware of the layer in which you are working, or at which transition between layers.
- Do not forget that your goal is to explain things in the first layer

# 1. General Circulation Models

Used for both climate modeling and numerical weather forecast

- **Models** : identical.
- **Duration** : several decades or centuries / 15 days (seasonal forecast in between)
- **Initial state** : any (existence of an attractor : the climate) / “analysis” obtained through an assimilation procedure of observations into the model.
- **Forecast** : statistical (ex : inter-annual variability, intensity of storms ...) / deterministic (the weather of tomorrow).



- I. LMDZ : a general circulation model
  - 1. General Circulation Models
  - 2. LMDZ**
  - 3. Splitting/coupling and modularity

## LMDZ – a brief history

Pioneers : years 60-70. Robert Sadourny and Phu Le Van (Sadourny, 1975)

The LMD5/LMD6 model : 90-95 (Laval, 1981)

1985 : Rewriting of the dynamical core : modularity and **Z**oom (the previous version had been written over punch cards with a very small RAM memory)

1990 : versions for Mars, Titan, and a generic 20-parameter version

1992 : decision to develop the terrestrial model on the basis of this new dynamical core, by adapting the physical package of LMD5/6 → LMD**Z**

1995-1999 : transport of trace species

2005 : First participation to CMIP exercise with LMDZ

2007 : rising organization around LMDZ (web, regular meetings, Svn, training, ...)

2011 : “New Physics” version (result of a 10-year research) and participation to CMIP5

2017 : new dynamical core Dynamico

2017 : CMIP6 version





## 2. LMDZ

### Planetary atmospheres

Mars, Titan, Venus, Triton, ...

Prediction of Titan atmospheric super-rotation  
with the LMDZ Titan GCM (1995, 2005)

An a posteriori comparison with  
The Huygens entry profile



# Atmospheric component of the IPSL climate model :


Coupled to ocean, continental surface, chemistry

The terrestrial version is used in particular for climate change projections

Reference versions for the Coupled Model Intercomparison Projects (CMIP)

Each ~ 7 years

Summer temperature, France (°C, June-July-August average)



## Also used for :


Regional climate

Process studies / rôle of cloud processes in climate and climate change

Tracer transport / chemistry / aerosols

Transport inversion

## 2. LMDZ



### Dynamical core : primitive equations discretized on the sphere

- Mass conservation

$$D\rho/Dt + \rho \operatorname{div}\underline{U} = 0$$

- Potential temperature conservation

$$D\theta / Dt = Q / C_p (p_0/p)^\kappa$$

- Momentum conservation


$$D\underline{U}/Dt + (1/\rho) \operatorname{grad}p - g + 2 \underline{\Omega} \wedge \underline{U} = \underline{F}$$

- Secondary components conservation


$$Dq/Dt = S_q$$

### The LMDZ dynamical core :

- Global longitude-latitude grid
- Zoom capability (« Z » of « LMDZ »)
- Finite difference / finite volume numerical schemes
- Conservation of air mass, enstrophy, partly angular momentum and energy
- Positive/monotonic/conservative Van Leer schemes for tracer advection
- Horizontal dissipation (stability + scale interaction) : iterated Laplacian
- Sponge layer (dumping winds and wave in the upper layers)




LMDZ current grid :  
Longitude-latitude  
with zoom capability  
(Sadourny and Levan, 1984)



Coming soon :  
New dynamical core based on hexagonal grid cells based on icosahedron  
(Dubos, Meurdesoif et al. 2016)

## 2. LMDZ

Earth : development of a « **New Physics** » version (15-year team work)  
New framework for model development and evaluation  
Splitting in 3 scales for vertical transport  
turbulence / organized structure of the boundary layer / deep convection




- **Boundary layer small scale turbulence treated as « turbulent diffusion »**
- **Organized structures of the convective boundary layer parameterized with a single « thermal plume » and associated cumulus clouds**
- **Deep convection , mass flux scheme, buoyancy sorting ...**
- **Cold pools**
- **Radiative transfer**

- + micro-physics
- + effect of subgrid-scale orography
- + non orographic gravity waves

## 2. LMDZ


Earth : development of a « **New Physics** » version (15-year team work)  
New framework for model development and evaluation  
Splitting in 3 scales for vertical transport  
turbulence / organized structure of the boundary layer / deep convection




- Couvreux, F., F. Hourdin, and C. Rio, **2010**, Resolved Versus Parametrized Boundary-Layer Plumes. Part I: A Parametrization-Oriented Conditional Sampling in Large-Eddy Simulations, *Boundary-layer Meteorol.*, 134, 441–458, 2010.
- Grandpeix, J., and J. Lafore, **2010**, A Density Current Parameterization Coupled with Emanuel's Convection Scheme. Part I: The Models, *Journal of Atmospheric Sciences*, 67, 881–897, 2010.
- Grandpeix, J. Y., V. Phillips, and R. Tailleux, 2004, Improved mixing representation in Emanuel's convection scheme, *Q. J. R. Meteorol. Soc.*, 130, 3207–3222, **2004**.
- Grandpeix, J., J. Lafore 2010, A Density Current Parameterization Coupled with Emanuel's Convection Scheme. Part I *Journal of Atmospheric Sciences*, 67, 898–922, **2010**.
- Grandpeix, J., J. Lafore, and F. Cheruy, 2010, A Density Current Parameterization Coupled with Emanuel's Convection Scheme. Part II: 1D Simulations, *Journal of Atmospheric Sciences*, 67, 898–922, **2010**.
- Hourdin, F., F. Couvreux, and L. Menut, **2002**, Parameterisation of the dry convective boundary layer based on a mass flux representation of thermals, *J. Atmos. Sci.*, 59, 1105–1123, 2002.
- Hourdin, F., I. Musat, S. Bony, P. Braconnot, F. Codron, J.-L. Dufresne, L. Fairhead, M.-A. Filiberti, P. Friedlingstein, J.-Y. Grandpeix, G. Krinner, P. Levan, Z.-X. Li, and F. Lott, **2006**, The LMDZ4 general circulation model: climate performance and sensitivity to parametrized physics with emphasis on tropical convection, *Climate Dynamics*, 27, 787–813, 2006.
- Hourdin, F., J.-Y. Grandpeix, C. Rio, S. Bony, A. Jam, F. Cheruy, N. Rochetin, L. Fairhead, A. Idelkadi, I. Musat, J.-L. Dufresne, A. Lahellec, M.-P. Lefebvre, and R. Roehrig, April 2012, LMDZ5B: the atmospheric component of the IPSL climate model with revisited parameterizations for clouds and convection, *Clim. Dyn.*, 79, April **2012**.
- Jam, A., F. Hourdin, C. Rio, and F. Couvreux, Resolved versus parametrized boundary-layer plumes. part iii: A diagnostic boundary-layer cloud parameterization derived from large eddy simulations, accepted in *BLM*, **2013**.
- Rio, C., and F. Hourdin, 2008, A thermal plume model for the convective boundary layer : Representation of cumulus clouds, *J. Atmos. Sci.*, 65, 407–425, **2008**.
- Rio, C., F. Hourdin, J. Grandpeix, and J. Lafore, 2009, Shifting the diurnal cycle of parameterized deep convection over land, *Geophys. Res. Lett.*, 36, 7809–+, **2009**.
- Rio, C., F. Hourdin, F. Couvreux, and A. Jam, **2010**, Resolved Versus Parametrized Boundary-Layer Plumes. Part II: Continuous Formulations of Mixing Rates for Mass-Flux Schemes, *Boundary-layer Meteorol.*, 135, 469–483, 2010.
- Jam, A., F. Hourdin, Rio C., and F. Couvreux, Resolved versus parameterized Boundary Layer Plumes: III Derivation of a statistical scheme for cumulus clouds, *Clim. Dyn.*, accepted for publication Resolved Versus Parametrized Boundary-Layer Plumes. Part III: Derivation of a Statistical Scheme for Cumulus Clouds, *Boundary-layer Meteorol.*, 147, 421–441, **2013**.
- Rio, C., J.-Y. Grandpeix, F. Hourdin, F. Guichard, F. Couvreux, J.-P. Lafore, A. Fridlind, A. Mrowiec, R. Roehrig, N. Rochetin, M.-P. Lefebvre, and A. Idelkadi, 2013, Control of deep convection by sub-cloud lifting processes: the ALP closure in the LMDZ5B general circulation model, *Clim. Dyn.*, 40, 2271–2292, **2013**.
- Hourdin, F., J.-Y. Grandpeix, C. Rio, S. Bony, A. Jam, F. Cheruy, N. Rochetin, L. Fairhead, A. Idelkadi, I. Musat, J.-L. Dufresne, A. Lahellec, M.-P. Lefebvre, and R. Roehrig, 2013b, LMDZ5B: the atmospheric component of the IPSL climate model with revisited parameterizations for clouds and convection, *Clim. Dyn.* 40, 2193–2222 **2013b**

- I. LMDZ : a general circulation model
  - 1. General Circulation Models
  - 2. LMDZ
  - 3. Splitting/coupling and modularity**


### 3. Splitting / coupling and modularity




Using the 1D nature of the parameterizations to clearly separate two worlds  
 Helps a lot for parameterization development and test




### 3. Splitting / coupling and modularity




### 3. Splitting / coupling and modularity



### 3. Splitting / coupling and modularity



### 3. Splitting / coupling and modularity



## **LMDZ to summarize**

- 1. Made of 2 well distinct parts :**
  - i/ dynamical core, 3D.**
  - ii/ physical parameterizations, N x 1D**
- 2. Coupling with ocean and continental surfaces in the physics**
- 3. Coupled to chemistry through large scale transport (dynamics) and physical parameterizations (physics)**
- 4. Various configurations :**
  - 1D (« physics » alone)**
  - 3D with nudging (by meteorological reanalysis)**
  - 3D with zoom**
  - Off line for tracers (not maintained in current versions), direct & backward**
- 5. Flexible tool**
  - Used on computer centers in HPC mode**
  - Easy to install on personal computers for research**
  - All the configurations available in the same model version**
  - Switching from one configuration to another through « .def » ascii files**